

REFERENCES

- Anon (1994). ISO 5725-6. *Accuracy (trueness and precision) of measurement methods and results -- Part 6: Use in practice of accuracy values*. International Organization for Standardisation. Geneva.
- Anon (1995). IUPAC. Protocol for the design, conduct and interpretation of method performance studies. *Pure Appl Chem*. 67:331-343.
- Anon (1996). Sugar Milling Research Institute Annual Report 1995-1996. p18.
- Anon (1997). ISO/IEC Guide 43-1:1997. *Proficiency testing by interlaboratory comparisons – Part 1: Development and operation of proficiency testing schemes*. International Organization for Standardisation. Geneva.
- Anon (2006a). ISO 3534-2. *Statistics -- Vocabulary and symbols -- Part 2: Applied statistics. Section 3.15* International Organization for Standardisation. Geneva.
- Anon (2006b). ISO 3534-2. *Statistics -- Vocabulary and symbols -- Part 2: Applied statistics. Section 3.20* International Organization for Standardisation. Geneva.
- Anon (2009). SASTA Laboratory Manual including the Official Methods. 5th edition. Mount Edgecombe.
- Ellison SLR, Barwick VJ and Farrent JD (2009). *Practical Statistics for the Analytical Scientist. A Bench Guide*. RSC Publishing. 2nd edition, 268pp. Cambridge.
- Mellet P, Lionnet, GRE, Kimmerling ZJ and Bennett PJ (1982). Standards for the analytical precision of sugar and molasses analysis. *Proc S Afr Sug Technol Ass* 56:55-57.
- Mellet P, Ronaldson MA, Excell, TL and Koenig MFS (1990). Some questions and answers concerning analysis in factory laboratories. *Proc S Afr Sug Technol Ass* 64:189-194.
- Radford AJ (1972). Use of statistical quality control at the Durban Sugar Terminal. *Proc S Afr Sug Technol Ass* 46:133-137.
- Thompson M and Wood R (1995). Harmonized guidelines for internal quality control in analytical chemistry laboratories. *Pure Appl Chem* 67:649-666.
- Thompson M, Ellison SLR and Wood R (2006). International Harmonized protocol for the proficiency testing of analytical chemistry laboratories. *Pure Appl Chem* 78:145-196.
- Walford SN and Pillay V (2014). The z-score as a possible alternative measure for the SMRI inter-laboratory scoring system. *Proc S Afr Sug Technol Ass* 87:Poster.available on request.
- Youden WJ and Steiner EH (1975). *Statistical manual of the Association of Official Analytical Chemists*. AOAC, Gaithersburg, MD, USA.