







- Sajjad M and Khan FA (2009). Genetic diversity among sugarcane cultivars in Pakistan. *American-Eurasian Journal of Agricultural and Environmental Sciences* 6(6): 730-736.
- Sandhu SD, Saini, GS (1997). Inter-relationships among cane yield and commercial cane sugar and their component traits in autumn plant crop of sugarcane. *Euphytica* 95: 109-114.
- SAS Version 9.2 (2012). SAS/STAT user's guide, version 9.2 SAS Institute, Cary, North Carolina, USA.
- Shitahun A, Hussein M and Feyissa T (2018). Correlation of traits on sugarcane (*Saccharum* spp) genotypes at Metahara Sugar Estate. *International Journal of Advanced Research in Biological Sciences* 5(3): 1-5.
- Shoonees-Muir BM, Ronaldson MA, Naidoo G and Schorn PM (2009). SASTA Laboratory Manual including the Official Methods. *South African Sugar Technologists' Association*, Mount Edgecombe, Durban, South Africa.
- Singh SP, Nigam A and Singh RK (2013). Influence of rind hardness on sugarcane quality. *American Journal of Plant Sciences* 4: 45-52.
- Tyagi VK, Sharma S and Bhardwaj SB (2012). Pattern of association among cane yield, sugar yield and their components in sugarcane (*Saccharum officinarum* L). *Journal of Agricultural Research* 50(1): 29-38.