









## REFERENCES

- Bappel EA, Bégué A, Martiné JF, Pellegrino A and Siegmund B (2005). Assimilation of a biophysical parameter estimated by remote sensing using SPOT 4&5 data into a sugarcane yield forecasting model. *Proc Int Soc Sug Cane Technol* 25: 260-264.
- Bastiaanssen, WG and Ali, S (2003). A new crop yield forecasting model based on satellite measurements applied across the Indus Basin. *Agric Ecosyst Environ* 94: 321–340.
- Bezuidenhout CN and Singels A (2007). Operational forecasting of South African sugarcane production: Part 1: System description. *Agric Sys* 92: 23-38.
- Gao B (1996). NDWI - A normalized difference water index for remote sensing of vegetation liquid water from space. *Remote Sens Environ* 58: 257-266.
- Jarmain C, Singels A, Bastidas-Obando E, Paraskevopoulos A, Olivier F, van der Laan M, Taverna-Turisan D, Dlamini M, Munch Z, Bastiaanssen W, Annandale J, Everson C, Savage M and Walker S (2014). Water use efficiency of selected irrigated crops determined with satellite imagery. Final project report to the Water Research Commission and the Department of Agriculture, Forestry and Fisheries, WRC Report No. TT 602/14.
- Karnieli A, Kaufman YJ, Remer L and Wald A (2001). AFRI - aerosol free vegetation index. *Remote Sens Environ* 77: 10.
- Morel J, Bégué A, Todoroff P, Martiné JF, Lebourgeois V and Petit M (2014). Coupling a sugarcane crop model with the remotely sensed time series of fAPAR to optimise the yield estimation. *Eur J Agron* 61: 60-68.
- Moulin S, Bondeau A and Delecolle R (1998). Combining agricultural crop models and satellite observations: From field to regional scales. *Int J Remote Sens* 19: 1021-1036.
- Muller SJ, Sithole P, Singels A and van Niekerk A (2019). Assessing the fidelity of Landsat-based fAPAR models in two diverse sugarcane growing regions. *Computer and Electronics in Agric* (under review).
- Rahman MM and Lamb DW (2017). The role of directional LAI in determining the fAPAR–NDVI relationship when using active optical sensors in tall fescue (*Festuca arundinacea*) pasture. *Int J Remote Sens* 38: 3219-3235.
- Rouse JW, Haas RH, Schell JA and Deering DW (1973). Monitoring Vegetation Systems in the Great Plains with ERTS. *Proc ERTS Symposium* 3: 309-317.
- Zhang H, Anderson RG and Wang D (2015). Satellite-based crop coefficient and regional water use estimates for Hawaiian sugarcane. *Field Crops Res* 180: 143-154.